

RESEARCH ARTICLE

Antioxidant Potential from Padina Gymnospora Seaweed Methanolic Extracts

BIPIN¹, LAKSHMINARAYANAN ARIVARASU^{2*}, PITCHIAH SIVAPERUMAL³, LAKSHMI THANGAVELU⁴

¹Department of Pharmacology, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences(SIMATS), Saveetha University, Chennai-600077, Email: 151901093.sdc@saveetha.com

²Department of Pharmacology, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences(SIMATS), Saveetha University, Chennai-600077, Email: lakshmin.sdc@saveetha.com

³Marine Biomedical and Environmental Health Research Lab - Blue Lab, Department of Pharmacology, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences (SIMATS), Chennai-600077, Email: sivaperumalp.sdc@saveetha.com

⁴Department of Pharmacology, Saveetha Dental College and Hospitals, Saveetha Institute of Medical and Technical Sciences(SIMATS), Saveetha University, Chennai-600077

*Corresponding Author

ABSTRACT

Introduction: Seaweeds are associated with antibacterial, antinociceptive effects. The interest in marine organic entities is a potential and promising source in marine life in the last few years. Seaweeds have been used as food in Asian countries for centuries. Seaweeds possess valuable medicinal properties that exhibit anti adhesive activities. The dietary profile of Padina gymnospora incorporates a lot of carbohydrates, lipids, proteins and other minerals alongside it includes cell reinforcements like nutrients and other vitamins(C and E).

Aim: The main objective of the study is to evaluate antioxidant activity of Padina gymnospora seaweed methanolic extracts.

Materials And Methods: Sample collection of Padina gymnospora is collected and washed with distilled water, dried and powdered. Methanol ice extract preparation is done from crude oil extract and again converted into powder then it's been dried for a few hours. Further antioxidant assay (DPPH, H2O2, total antioxidant assay) is done to find the bio active compounds from crude extract.

Result: The antioxidant property of seaweed Padina gymnospora was evaluated and it was found to increase with increasing concentration of extract. Similar results were observed in the present study with antioxidant activity increasing in the lower concentrations. In the present investigation methanolic extracts showed antioxidant activity for all the samples analysed.

Conclusion: This study indicated that the methanol extract of seaweed had better antioxidant effects in comparison with other previous studies.

KEYWORDS:

Padina gymnospora, antioxidant activity, methanolic extracts, DPPH assay

ARTICLE HISTORY: Received Aug 15, 2021 Accepted Sep 10, 2021 Published Oct 05, 2021

DOI: 10.5455/jcmr.2021.12.03.05

VOLUME: 12 ISSUE: 3 ISSN: 2146-8397

INTRODUCTION

Seaweeds are associated with antibacterial, antinociceptive effects. The interest in marine organic entities are a potential and promising source in marine life in the last few years. Seaweeds possess various valuable medicinal values that exhibit anti adhesive and pharmacological activities (Corsetto et al., 2020; Liu and Sun, 2020; Wang et al., 2020). In recent years, the interest in marine organisms has increased due to their potential as natural antioxidants and cytotoxic properties that helps in preventing various cardiovascular diseases such

as myocardial infarction, high blood pressure and coronary heart disease. Some important Sea weeds like Eckhnia cava and Hizikia fusiforms also exhibit potent antioxidant activity. High amounts of polyphenols are found in marine plants like seaweeds. Although seaweeds have wide application in the pharmaceutical industry, many of its uses are unknown. Seaweeds are basically classified as Rhodophyta, chlorophyta and phaeophyta. Cell reinforcement substances which ramage the resolutions assure a significant part in the counter action of free extremist incited infections. By denoting hydrogen radicals the essential revolutionaries are decreased to nonrevolutionary synthetic mixtures and earth then changed over to oxidise cancer prevention against revolutionaries. Antioxidant activity of seaweeds shows a positive attitude towards prostate cancer and breast cancer ('Seaweed Uses Advancing Through Research', 1952; Chapman and Chapman, 1980; Ito and Hori, 1989; Abbott, 1996; Keyimu and Abuduli, 2019; Nadeeshani, Hassouna and Lu, 2021).

Padina gymnospora is portrayed by the thick thallus, the circulation of sporangia basically on the prevalent surface of the thallus and transient indusium. The dietary profile of Padina gymnospora incorporates a lot of carbohydrates, lipids proteins and other minerals alongside it includes cell reinforcements like nutrients and other vitamins(C and E). Cancer prevention agent exercises of different Dissolvable concentrates of Padina gymnospora where evaluated by the DPPH assay. Previous studies showed that the Padina gymnospora has got a maximum protein content of 17.08% (N et al., no date; Singh et al., 2015; Shanmuganathan et al., 2019; Vasantharaja et al., 2019). Many research studies estimated that Padina gymnospora has high levels of amino acid. Free radicals are the cause of ageing and a variety of human diseases(N et al., no date; Karez and Pereira, 1995; Filho et al., 1996; Chapman, 2012; 'Influence of Seaweed Extracts (Sargassum dentifolium or Padina gymnospora) on the Growth and Physiological Activities of Faba Bean and Wheat Plants Under Salt Stress', 2013; JASAndrade et al., 2015). In accordance with previous studies, Antioxidant compounds that scavenge free radicals play a significant role in the prevention of free radical-induced diseases. The primary radicals are reduced to nonradical chemical compounds and then converted to oxidize antioxidant radicals by donating hydrogen radicals to maintain stability in the body. This helps in protecting our health from various degenerative diseases(Rajendran et al., 2019)(Ashok, Ajith and Sivanesan, 2017)(Malli et al., 2019)(Mohan and Jagannathan, 2014)(Menon et al., 2018)(Samuel, Acharya and Rao, 2020)(Praveen et al., 2001)(Neelakantan et al., 2011)('Oligonucleotide therapy: An emerging focus area for drug delivery in chronic inflammatory respiratory diseases', 2019)(Kumar et al., 2006). Tetrasporic plants are typically larger than oogonial and antheridial plants in the Mandapam region. Padina gymnospora is ecologically and biologically significant in Indian subcontinent. Padina gymnospora cultures provide food, development, and a hospitable atmosphere for other living things. Padina gymnospora is one of the most important species in preserving ecosystem equilibrium because of these characteristics. Padina gymnospora is a brown alga that has been investigated for its ecological importance and biochemical properties, including its high capacity to accumulate heavy metals. The fucans are thought to be one of the major polysaccharides involved in metal binding and precipitation in cell walls. Coastal waters have a lot of dissolved organic matter, and marine algae are a big source of it. Carbohydrates, polysaccharides, nitrogenous, and polyphenol products are various organic materials found in the seaweeds. A popular antioxidant assay is based on the scavenging of DPPH free radicals. For this assay, a variety of procedures have been used, resulting in a wide range of findings in the laboratory. In

this study, DPPH assay has been used to determine the antioxidant levels of seaweed Padina gymnospora(Ramadan-Hassanien, 2008; Sirivibulkovit, Nouanthavong and Sameenoi, 2018; Vasantharaja et al., 2019; Chen, Liang and Han, 2020). Various studies has been conducted in our institution to develop knowledge on research activity(Pitchiah Sivaperumal, Kamala and Rajaram, 2018; P. Sivaperumal, Kamala and Rajaram, 2018; Kamala et al., 2019; Jaisankar and Arivarasu, 2020; Karthik, Arivarasu and Rajeshkumar, 2020; Priya et al., 2020; Shankar et al., 2020; Shree et al., 2020). The main objective of this study is to evaluate the antioxidant activities of Padina the most Pura from the south coastal area of Tamil Nadu, India.

MATERIALS AND METHODS

Sample collection and preparation

The fresh seaweed sample Padina gymnospora was collected from Gulf of Mannar biosphere reserve, Tamilnadu. The samples were washed thoroughly with tap water then shade dried on table tissue paper for 4 weeks and ground into a fine power.

Preparation of extraction

10g of dried powdered seaweed sample was mixed with 100ml of methanol and incubated for 24 hours at ambient temperature. Then the mixture was filtered through whatman filter paper (No.4), the filtrate was centrifuged at 3000rpm for 10min, followed by filtration through 0.45μ m syringe micro filter. At last, the solvent was evaporated via a vacuum rotary evaporator to obtain dried powder. Then the samples were stored in an aluminum container at 4°C for further analysis.

Total antioxidant activity

Total antioxidant activity of the crude seaweed was determined by following method: 0.3 ml of sample was prepared in different concentrations (0.5 - 3mg/ml) with 3ml of reagent solution (0.6 M sulfuric acid, 28mM sodium phosphate and 4mM ammonium molybdate). Reaction mixture was incubated at 95°C for 90 minutes in a water bath. Absorbance of all sample mixtures was measured at 695 nm. Total antioxidant activity has been expressed as the number of equivalents of ascorbic acid.

DPPH Assay

The antioxidant potential of seaweed extract was determined on the basis of their scavenging activity of the stable 1,1diphenyl-2-picryl hydrazyl (DPPH) free radical. Different concentrations (0.5-3mg/ml) of samples were mixed with 2.9ml diphenylpicrylhydrazyl (DPPH) solution (120 μ M) in methanol and incubated in darkness at 37°C for 30 minutes. The absorbance was recorded at 517 nm. Inhibition of free radical by DPPH in percentage (I %) was calculated with the following equation:

Percentage of Inhibition (I %) = (A blank - A sample) / A blank $\times 100$

42

Where, A blank is the absorbance of the control reaction and A sample is the absorbance of the test compound. The values of inhibition were calculated for the various concentrations of the sample. Ascorbic acid was used as positive control (Kamala et al., 2015) and all the tests were carried out in triplicate.

Scavenging of hydrogen peroxide (H2O2)

Ability of the crude extract from the seaweed to scavenge H_2O_2 was determined by following method: 40mM H_2O_2 was prepared and the concentration was determined

spectrophotometrically by measuring the absorption with the extraction coefficient for H_2O_2 of 81 M-1 cm-1. Seaweed extract and the standard ascorbic acid (0.5, 1, 1.5, 2, 2.5 & 3 mg/ml) were added to 0.6 ml of 40mM H_2O_2 solution and the absorbance of H_2O_2 was determined at 230 nm after 10 min incubation against a blank solution, containing phosphate buffer without hydrogen peroxide. The percentage of scavenging of H_2O_2 was calculated as follows

Scavenging effect (%) = (A cont - A test) A cont × 100

RESULTS AND DISCUSSION



Fig.1: Bar graph represents the total antioxidant activity equivalent of Ascorbic acid. The X axis represents the various concentration levels in µg/ml and Y axis represents the total antioxidant activity, data implies as mean±SEM



Fig.2: Bar graph represents the antioxidant effect of the P.gymnospora seaweed methanolic extract. The X-axis represents various concentration levels and the Y-axis represents the percentage of the DPPH inhibition, data implies as mean±SEM



Fig.3: Bar graph represents the antioxidant effect of the P.gymnospora seaweed methanolic extract. The X-axis represents various concentration levels and the Y-axis represents the percentage of the H2O2 inhibition, data implies as mean±SEM

In our study done by DPPH assay using methanolic extract of Padina gymnospora seaweed. There was a significant difference seen in antioxidant potential of herbal extract when compared to that of the standard. Contradicting results were observed in a previous in vitro study done by Leelavathi et al. The study showed ulva lactuca exhibited the highest levels of antioxidant and free radicals scavenging activities in petroleum ether extracts when compared to other seaweed samples. The limitations of the study include only antioxidant cytotoxicity, whereas antimicrobial, activity antiinflammatory properties have not been studied. Bioactive compounds responsible for the antioxidant property have not been studied. Further scope of research includes formulations of the herbal extract into gel or mouthwash formulation and clinical trial evaluations could be done. (Pushpaanjali, Geetha and Lakshmi, 2020) (Aathira, Geetha and Lakshmi, 2020) (Baskar and Lakshmi, 2020) (Manya Suresh, 2020) (First Report on Marine Actinobacterial Diversity around Madras Atomic Power Station (MAPS), India, no date) (Physicochemical Profile of Acacia Catechu Bark Extract - An in Vitro Stud - International Journal of Pharmaceutical and Phytopharmacological Research, no date) (Lakshmi, 2021) (Awareness of Drug Abuse among Teenagers - International Journal of Pharmaceutical and Phytopharmacological Research, no date) (Mangal, Anitha and Lakshmi, 2018) (COX2 Inhibitory Activity of Abutilon Indicum - Pharmaceutical Research and Allied Sciences, no date) (Jibu, Geetha and Lakshmi, 2020) (Sindhu et al., 2020) (Nivethitha et al., 2020) (Mariona, Roy and Lakshmi, 2020)

At variant concentration levels, the herbal extract was compared with the standard. At 25µg/ml, Padina Gymnospora extract showed the TAA equivalent to Ascorbic Acid standard (31.00). At 50µg/ml, Padina gymnospora showed the TAA equivalent to Ascorbic Acid standard (60.00)). At 75µg/ml, Padina gymnospora showed the TAA equivalent to Ascorbic Acid standard (85.00). At 100µg/ml, Padina gymnospora showed the TAA equivalent to Ascorbic Acid standard (95.00). At 125µg/ml, Padina gymnospora showed the TAA equivalent

to Ascorbic Acid standard (120.00). At 150µg/ml, Padina gymnospora showed the TAA equivalent to Ascorbic acid standard (135.00). At 25µg/ml, DPPH showed less than 10% of inhibition whereas standard showed 40% of inhibition. At 50µg/ml concentration, DPPH showed 30% of inhibition whereas standard (ascorbic acid) showed 60% of inhibition. 80% and 60% of inhibition were seen in ascorbic acid and DPPH organic compounds in 75µg/ml. At 100g/ml concentration, DPPH showed 80% of inhibition whereas standard (ascorbic acid) exhibited 40% of inhibition. At 125µg/ml concentration level, DPPH showed nearly 60% of inhibition whereas standard (ascorbic acid) exhibited 85% of inhibition. At 150µg/ml concentration level, DPPH showed 90% of zone of inhibition whereas standard (ascorbic acid) exhibited 100% of zone of inhibition. % of Hydrogen peroxide inhibition at 25µg/ml showed a significant difference between hydrogen peroxide and standard. At 50µg/ml concentration level, H2O2 showed 20% of inhibition whereas standard (ascorbic acid) exhibited 50% of inhibition. At 75µg/ml concentration level, H2O2 showed 30% of inhibition whereas standard (ascorbic acid) exhibited 65% of inhibition. % of Hydrogen peroxide inhibition at 100g/ml has also shown a significant difference between hydrogen peroxide and standard (ascorbic acid). At 125µg/ml concentration level, H2O2 showed 45% of inhibition whereas standard (ascorbic acid) exhibited 85% of inhibition. At 150µg/ml concentration level, H2O2 showed 60% of inhibition whereas standard (ascorbic acid) exhibited 100% of inhibition(Kamala and Sivaperumal, 2017; Sivaperumal, Kamala and Rajaram, 2017). Our team has extensive knowledge and research experience that has translate into high quality publications(Rajeshkumar et al., 2018; Nandhini, Rajeshkumar and Mythili, 2019; M. Gomathi et al., 2020; Rajasekaran et al., 2020; Vairavel, Devaraj and Shanmugam, 2020), (Santhoshkumar et al., 2019), (Raj R, D and S, 2020), (Saravanan et al., 2018), (Gheena and Ezhilarasan, 2019), (Ezhilarasan, Sokal and Najimi, 2018), (Ezhilarasan, 2018), ((Dua et al., 2019; A. C. Gomathi et al., 2020; Vairavel, Devaraj and Shanmugam, 2020), (Ramesh et al., 2018; Duraisamy et al., 2019; Ezhilarasan, Apoorva and Ashok Vardhan, 2019; Arumugam, George and Jayaseelan, 2021; Joseph and Prasanth, 2021) .,(Gnanavel, Roopan and Rajeshkumar, 2019),(Markov et al., 2021)

CONCLUSION

Within the limitations of the study, antioxidant properties of various concentrations of methanolic extract of Padina gymnospora seaweed was studied. The result suggests this herbal extract as a good anti oxidant agent which requires further invivo studies.

CONFLICT OF INTEREST

There was no conflict of interest

ACKNOWLEDGEMENT

The authors would like to thank Saveetha Dental College and Saveetha Institute of Medical and Technical Sciences for their kind support to utilize the facilities for the study

SOURCE OF FUNDING

Arcus pvt ltd Erode, Tamilnadu

REFERENCE

- Aathira, C. M., Geetha, R. V. and Lakshmi, T. (2020) 'Knowledge and Awareness about the Mode of Transmission of Vector Borne Diseases among General Public', Journal of Pharmaceutical Research International, pp. 87-96.
- Abbott, I. A. (1996) 'Ethnobotany of seaweeds: clues to uses of seaweeds', Fifteenth International Seaweed Symposium, pp. 15-20. doi: 10.1007/978-94-009-1659-3_2.
- Arumugam, P., George, R. and Jayaseelan, V. P. (2021) 'Aberrations of m6A regulators are associated with tumorigenesis and metastasis in head and neck squamous cell carcinoma', Archives of oral biology, 122, p. 105030.
- Ashok, B. S., Ajith, T. A. and Sivanesan, S. (2017) 'Hypoxiainducible factors as neuroprotective agent in Alzheimer's disease', Clinical and experimental pharmacology & physiology, 44(3). doi: 10.1111/1440-1681.12717.
- Awareness of Drug Abuse among Teenagers International Journal of Pharmaceutical and Phytopharmacological Research (no date). Available at: https://eijppr.com/article/awareness-of-drugabuse-among-teenagers (Accessed: 31 August 2021).
- Baskar, K. and Lakshmi, T. (2020) 'Knowledge, Attitude and Practices Regarding HPV Vaccination among Undergraduate and Postgraduate Dental Students in Chennai', Journal of Pharmaceutical Research International, pp. 95-100.
- Chapman, V. (2012) Seaweeds and their Uses. Springer Science & Business Media.
- Chapman, V. J. and Chapman, D. J. (1980) 'Seaweed as Animal Fodder, Manure and for Energy', Seaweeds and their Uses, pp. 30-61. doi: 10.1007/978-94-009-5806-7_2.
- Chen, X., Liang, L. and Han, C. (2020) 'Borate suppresses the scavenging activity of gallic acid and plant polyphenol extracts on DPPH radical: A potential interference to DPPH assay', LWT, p.

109769. doi: 10.1016/j.lwt.2020.109769.

- Corsetto, P. A. et al. (2020) 'Characterization of Antioxidant Potential of Seaweed Extracts for Enrichment of Convenience Food', Antioxidants, p. 249. doi: 10.3390/antiox9030249.
- COX2 Inhibitory Activity of Abutilon Indicum Pharmaceutical Research and Allied Sciences (no date). Available at: https://ijpras.com/article/cox2-inhibitory-activity-of-abutilonindicum (Accessed: 31 August 2021).
- Dua, K. et al. (2019) 'The potential of siRNA based drug delivery in respiratory disorders: Recent advances and progress', Drug development research, 80(6), pp. 714-730.
- Duraisamy, R. et al. (2019) 'Compatibility of Nonoriginal Abutments With Implants: Evaluation of Microgap at the Implant-Abutment Interface, With Original and Nonoriginal Abutments', Implant dentistry, 28(3), pp. 289-295.
- Ezhilarasan, D. (2018) 'Oxidative stress is bane in chronic liver diseases: Clinical and experimental perspective', Arab journal of gastroenterology: the official publication of the Pan-Arab Association of Gastroenterology, 19(2), pp. 56-64.
- 15. Ezhilarasan, D., Apoorva, V. S. and Ashok Vardhan, N. (2019) 'Syzygium cumini extract induced reactive oxygen speciesmediated apoptosis in human oral squamous carcinoma cells', Journal of oral pathology & medicine: official publication of the International Association of Oral Pathologists and the American Academy of Oral Pathology, 48(2), pp. 115-121.
- Ezhilarasan, D., Sokal, E. and Najimi, M. (2018) 'Hepatic fibrosis: It is time to go with hepatic stellate cell-specific therapeutic targets', Hepatobiliary & pancreatic diseases international: HBPD INT, 17(3), pp. 192-197.
- Filho, G. M. A. et al. (1996) 'Accumulation, effects on growth, and localization of zinc in Padina gymnospora (Dictyotales, Phaeophyceae)', Fifteenth International Seaweed Symposium, pp. 451-456. doi: 10.1007/978-94-009-1659-3_65.
- First Report on Marine Actinobacterial Diversity around Madras Atomic Power Station (MAPS), India (no date). Available at: http://alinteridergisi.com/article/first-report-on-marineactinobacterial-diversity-around-madras-atomic-power-stationmaps-india/ (Accessed: 31 August 2021).
- Gheena, S. and Ezhilarasan, D. (2019) 'Syringic acid triggers reactive oxygen species-mediated cytotoxicity in HepG2 cells', Human & experimental toxicology, 38(6), pp. 694-702.
- Gnanavel, V., Roopan, S. M. and Rajeshkumar, S. (2019) 'Aquaculture: An overview of chemical ecology of seaweeds (food species) in natural products', Aquaculture , 507, pp. 1-6.
- Gomathi, A. C. et al. (2020) 'Anticancer activity of silver nanoparticles synthesized using aqueous fruit shell extract of Tamarindus indica on MCF-7 human breast cancer cell line', Journal of drug delivery science and technology, 55, p. 101376.
- 22. Gomathi, M. et al. (2020) 'Green synthesis of silver nanoparticles using Gymnema sylvestre leaf extract and evaluation of its antibacterial activity', South African Journal of Chemical Engineering, pp. 1-4. doi: 10.1016/j.sajce.2019.11.005.
- 'Influence of Seaweed Extracts (Sargassum dentifolium or Padina gymnospora) on the Growth and Physiological Activities of Faba Bean and Wheat Plants Under Salt Stress' (2013) Egyptian Journal of Botany, pp. 121-135. doi: 10.21608/ejbo.2013.483.
- 24. Ito, K. and Hori, K. (1989) 'Seaweed: Chemical composition and potential food uses', Food Reviews International, pp. 101-144. doi: 10.1080/87559128909540845.
- 25. Jaisankar, A. I. and Arivarasu, L. (2020) 'Free Radical Scavenging

and Anti-Inflammatory Activity of Chlorogenic Acid Mediated Silver Nanoparticle', Journal of Pharmaceutical Research International, pp. 106-112. doi: 10.9734/jpri/2020/v32i1930715.

- JASAndrade, T. de et al. (2015) 'Penicillium chrysogenum, an endophyte from Padina gymnospora, as a source of diketopiperazines, peptides and griseofulvin', Planta Medica. doi: 10.1055/s-0035-1556313.
- Jibu, R. M., Geetha, R. V. and Lakshmi, T. (2020) 'Isolation, Detection and Molecular Characterization of Staphylococcus aureus from Postoperative Infections', Journal of Pharmaceutical Research International, pp. 63-67.
- Joseph, B. and Prasanth, C. S. (2021) 'Is photodynamic therapy a viable antiviral weapon against COVID-19 in dentistry?', Oral surgery, oral medicine, oral pathology and oral radiology, pp. 118-119.
- Kamala, K. et al. (2019) 'Bioremediation of Sr2 ion radionuclide by using marineStreptomycessp. CuOff24 extracellular polymeric substances', Journal of Chemical Technology & Biotechnology. doi: 10.1002/jctb.6018.
- Kamala, K. and Sivaperumal, P. (2017) 'Biomedical Applications of Enzymes From Marine Actinobacteria', Marine Enzymes Biotechnology: Production and Industrial Applications, Part III -Application of Marine Enzymes, pp. 107-123. doi: 10.1016/bs.afnr.2016.11.002.
- Karez, C. S. and Pereira, R. C. (1995) 'Metal Contents in Polyphenolic Fractions Extracted from the Brown Alga Padina gymnospora', Botanica Marina. doi: 10.1515/botm.1995.38.1-6.151.
- Karthik, V., Arivarasu, L. and Rajeshkumar, S. (2020) 'Hyaluronic Acid Mediated Zinc Nanoparticles against Oral Pathogens and Its Cytotoxic Potential', Journal of Pharmaceutical Research International, pp. 113-117. doi: 10.9734/jpri/2020/v32i1930716.
- Keyimu, X. G. and Abuduli, M. (2019) 'Seaweed Composition and Potential Uses', International Journal of ChemTech Research, pp. 105-111. doi: 10.20902/ijctr.2019.120112.
- Kumar, M. S. et al. (2006) 'Expression of matrix metalloproteinases (MMP-8 and -9) in chronic periodontitis patients with and without diabetes mellitus', Journal of periodontology, 77(11), pp. 1803-1808.
- Lakshmi, T. (2021) 'Antifungal Activity of Ficus racemosa Ethanolic Extract against Dermatophytes-An in vitro Study', Journal of Research in Medical and Dental Science, 9(2), pp. 191-193.
- Liu, Z. and Sun, X. (2020) 'A Critical Review of the Abilities, Determinants, and Possible Molecular Mechanisms of Seaweed Polysaccharides Antioxidants', International journal of molecular sciences, 21(20). doi: 10.3390/ijms21207774.
- Malli, S. N. et al. (2019) 'Concentrated Growth Factors as an Ingenious Biomaterial in Regeneration of Bony Defects after Periapical Surgery: A Report of Two Cases', Case reports in dentistry, 2019. doi: 10.1155/2019/7046203.
- Mangal, C. S. K., Anitha, R. and Lakshmi, T. (2018) 'Inhibition of Nitric oxide Production and Nitric oxide Synthase Gene Expression in LPS Activated RAW 264 .7 Macrophages by Thyme oleoresin from Thymus vulgaris', Journal of young pharmacists: JYP, 10(4), p. 481.
- Manya Suresh, L. T. (2020) 'Wound Healing Properties of Aloe Barbadensis Miller-In Vitro Assay', Journal of Complementary Medicine Research, 11(5), pp. 30-34.
- 40. Mariona, P., Roy, A. and Lakshmi, T. (2020) 'Survey on lifestyle

and food habits of patients with PCOS and obesity', Journal of Complementary Medicine Research, 11(5), pp. 93-98.

- Markov, A. et al. (2021) 'Mesenchymal stem/stromal cells as a valuable source for the treatment of immune-mediated disorders', Stem cell research & therapy, 12(1), p. 192.
- Menon, S. et al. (2018) 'Selenium nanoparticles: A potent chemotherapeutic agent and an elucidation of its mechanism', Colloids and surfaces. B, Biointerfaces, 170. doi: 10.1016/j.colsurfb.2018.06.006.
- Mohan, M. and Jagannathan, N. (2014) 'Oral field cancerization: an update on current concepts', Oncology reviews, 8(1). doi: 10.4081/oncol.2014.244.
- 44. Nadeeshani, H., Hassouna, A. and Lu, J. (2021) 'Proteins extracted from seaweed and their potential uses as foods and nutraceuticals', Critical reviews in food science and nutrition, pp. 1-17.
- 45. Nandhini, N. T., Rajeshkumar, S. and Mythili, S. (2019) 'The possible mechanism of eco-friendly synthesized nanoparticles on hazardous dyes degradation', Biocatalysis and agricultural biotechnology, 19, p. 101138.
- Neelakantan, P. et al. (2011) 'The impact of root dentine conditioning on sealing ability and push-out bond strength of an epoxy resin root canal sealer', International endodontic journal, 44(6). doi: 10.1111/j.1365-2591.2010.01848.x.
- N, G. V. P. et al. (no date) 'Bacterial inhibition with liposoluble extracts from Padina gymnospora'. doi: 10.1021/scimeetings.0c07168.
- Nivethitha, R. et al. (2020) 'In Vitro Anticancer Effect of Sesamum Indicum Extract -', Journal of Complementary Medicine Research, 11(5), pp. 99-105.
- 'Oligonucleotide therapy: An emerging focus area for drug delivery in chronic inflammatory respiratory diseases' (2019) Chemico-biological interactions, 308, pp. 206-215.
- Physicochemical Profile of Acacia Catechu Bark Extract An in Vitro Stud - International Journal of Pharmaceutical and Phytopharmacological Research (no date). Available at: https://eijppr.com/article/physicochemical-profile-of-acaciacatechu-bark-extract-an-in-vitro-stud (Accessed: 31 August 2021).
- Praveen, K. et al. (2001) 'Hypotensive anaesthesia and blood loss in orthognathic surgery: a clinical study', The British journal of oral & maxillofacial surgery, 39(2). doi: 10.1054/bjom.2000.0593.
- Priya, S. V. et al. (2020) 'The role of job and personal resources in alleviating dentists' emotional dissonance in dental clinics of Hyderabad: a cross sectional study', International Journal Of Community Medicine And Public Health, p. 2672. doi: 10.18203/2394-6040.ijcmph20202996.
- Pushpaanjali, G., Geetha, R. V. and Lakshmi, T. (2020) 'Knowledge and Awareness about Antibiotic Usage and Emerging Drug Resistance Bacteria among Dental Students', Journal of Pharmaceutical Research International, pp. 34-42.
- Rajasekaran, S. et al. (2020) 'Collective influence of 1-decanol addition, injection pressure and EGR on diesel engine characteristics fueled with diesel/LDPE oil blends', Fuel, 277, p. 118166.
- 55. Rajendran, R. et al. (2019) 'Comparative Evaluation of Remineralizing Potential of a Paste Containing Bioactive Glass and a Topical Cream Containing Casein Phosphopeptide-Amorphous Calcium Phosphate: An in Vitro Study', Pesquisa brasileira em odontopediatria e clinica integrada, 19(0), p. 4668.

45

- Rajeshkumar, S. et al. (2018) 'Biosynthesis of zinc oxide nanoparticles usingMangifera indica leaves and evaluation of their antioxidant and cytotoxic properties in lung cancer (A549) cells', Enzyme and microbial technology, 117, pp. 91-95.
- Raj R, K., D, E. and S, R. (2020) 'B-Sitosterol-assisted silver nanoparticles activates Nrf2 and triggers mitochondrial apoptosis via oxidative stress in human hepatocellular cancer cell line', Journal of biomedical materials research. Part A, 108(9), pp. 1899-1908.
- Ramadan-Hassanien, M. F. (2008) 'Total antioxidant potential of juices, beverages and hot drinks consumed in Egypt screened by DPPH in vitro assay', Grasas y Aceites. doi: 10.3989/gya.2008.v59.i3.516.
- Ramesh, A. et al. (2018) 'Comparative estimation of sulfiredoxin levels between chronic periodontitis and healthy patients - A case-control study', Journal of periodontology, 89(10), pp. 1241-1248.
- Samuel, S. R., Acharya, S. and Rao, J. C. (2020) 'School Interventions-based Prevention of Early-Childhood Caries among 3-5-year-old children from very low socioeconomic status: Twoyear randomized trial', Journal of public health dentistry, 80(1). doi: 10.1111/jphd.12348.
- 61. Santhoshkumar, J. et al. (2019) 'Toxicology evaluation and antidermatophytic activity of silver nanoparticles synthesized using leaf extract of Passiflora caerulea', South African Journal of Chemical Engineering, 29, pp. 17-23.
- 62. Saravanan, M. et al. (2018) 'Synthesis of silver nanoparticles from Phenerochaete chrysosporium (MTCC-787) and their antibacterial activity against human pathogenic bacteria', Microbial pathogenesis, 117, pp. 68-72.
- 63. 'Seaweed Uses Advancing Through Research' (1952) Chemical & Engineering News, p. 3302. doi: 10.1021/cen-v030n032.p3302.
- Shankar, S. B. et al. (2020) 'Biosynthesis of Hydroxy Citric Acid Mediated Zinc Nanoparticles and Its Antioxidant and Cytotoxic Activity', Journal of Pharmaceutical Research International, pp. 108-112. doi: 10.9734/jpri/2020/v32i2630845.
- 65. Shanmuganathan, B. et al. (2019) 'Amyloid-B induced neuropathological actions are suppressed by Padina gymnospora (Phaeophyceae) and its active constituent α-bisabolol in Neuro2a cells and transgenic Caenorhabditis elegans Alzheimer's model', Nitric oxide: biology and chemistry / official journal of the Nitric Oxide Society, 91, pp. 52-66.

- Shree, M. K. et al. (2020) 'Cytotoxicity and Antimicrobial Activity of Chromium Picolinate Mediated Zinc Oxide Nanoparticle', Journal of Pharmaceutical Research International, pp. 28-32. doi: 10.9734/jpri/2020/v32i2030726.
- Sindhu, P. K. et al. (2020) 'Anorectic drugs: an experimental and clinical perspective ◆A Review', Journal of Complementary Medicine Research, 11(5), pp. 106-112.
- Singh, M. et al. (2015) 'The cytotoxicity and cellular stress by temperature-fabricated polyshaped gold nanoparticles using marine macroalgae, Padina gymnospora', Biotechnology and applied biochemistry, 62(3), pp. 424-432.
- Sirivibulkovit, K., Nouanthavong, S. and Sameenoi, Y. (2018) 'Paper-based DPPH Assay for Antioxidant Activity Analysis', Analytical Sciences, pp. 795-800. doi: 10.2116/analsci.18p014.
- Sivaperumal, P., Kamala, K. and Rajaram, R. (2017) 'Bioremediation of Industrial Waste Through Enzyme Producing Marine Microorganisms', Marine Enzymes Biotechnology: Production and Industrial Applications, Part III - Application of Marine Enzymes, pp. 165-179. doi: 10.1016/bs.afnr.2016.10.006.
- Sivaperumal, P., Kamala, K. and Rajaram, R. (2018) 'Adsorption of cesium ion by marine actinobacterium Nocardiopsis sp. 13H and their extracellular polymeric substances (EPS) role in bioremediation', Environmental Science and Pollution Research, pp. 4254-4267. doi: 10.1007/s11356-017-0818-0.
- Sivaperumal, P., Kamala, K. and Rajaram, R. (2018) 'Biosorption of Long Half-life Radionuclide of Strontium Ion (Sr) by Marine ActinobacteriumNocardiopsissp. 13H', Geomicrobiology Journal, pp. 300-310. doi: 10.1080/01490451.2017.1350891.
- Vairavel, M., Devaraj, E. and Shanmugam, R. (2020) 'An ecofriendly synthesis of Enterococcus sp.-mediated gold nanoparticle induces cytotoxicity in human colorectal cancer cells', Environmental Science and Pollution Research, 27(8), pp. 8166-8175.
- 74. Vasantharaja, R. et al. (2019) 'Attenuation of oxidative stress induced mitochondrial dysfunction and cytotoxicity in fibroblast cells by sulfated polysaccharide from Padina gymnospora', International journal of biological macromolecules, 124, pp. 50-59.
- 75. Wang, L. et al. (2020) 'Isolation, Characterization, and Antioxidant Activity Evaluation of a Fucoidan from an Enzymatic Digest of the Edible Seaweed, Hizikia fusiforme', Antioxidants, p. 363. doi: 10.3390/antiox9050363